

# Package ‘cdlTools’

July 22, 2025

**Title** Tools to Download and Work with USDA Cropscape Data

**Version** 1.13

**Date** 2024-03-23

**Maintainer** Jonathan Lisic <jlisic@gmail.com>

**URL** <https://github.com/jlisic/cdlTools>

**BugReports** <https://github.com/jlisic/cdlTools/issues>

**Description** Downloads USDA National Agricultural Statistics Service (NASS) cropscape data for a specified state. Utilities for fips, abbreviation, and name conversion are also provided. Full functionality requires an internet connection, but data sets can be cached for later off-line use.

**License** Unlimited

**LazyData** true

**Encoding** UTF-8

**Depends** R (>= 3.5.0)

**Imports** raster, terra, stringr, rvest, utils, httr

**RoxygenNote** 7.2.3

**NeedsCompilation** yes

**Author** Jonathan Lisic [cre],

Lu Chen [aut],

Jemma Stachelek [ctb]

**Repository** CRAN

**Date/Publication** 2024-03-23 20:00:02 UTC

## Contents

census2010FIPS . . . . .	2
corn . . . . .	3
cotton . . . . .	3
createComparableCDL . . . . .	4
cultivated . . . . .	5

durumWheat . . . . .	9
fips . . . . .	10
getCDL . . . . .	11
getCDL_bbox . . . . .	12
matchCount . . . . .	13
metadata . . . . .	14
nothing . . . . .	15
pasture . . . . .	15
projCDL . . . . .	16
soybeans . . . . .	16
springWheat . . . . .	17
stateNames . . . . .	17
updateNamesCDL . . . . .	18
varNamesCDL . . . . .	19
water . . . . .	19
winterWheat . . . . .	20
<b>Index</b>	<b>21</b>

---

census2010FIPS	<i>U.S. Census 2010 FIPS Data</i>
----------------	-----------------------------------

---

## Description

U.S. Census 2010 FIPS Data containing county names, state and county FIPS codes, and state abbreviations.

## Usage

census2010FIPS

## Format

A data frame with 3235 rows and 5 variables.

**State** State two letter abbreviation

**State.ANSI** State FIPS code

**County.ANSI** County FIPS code

**County.Name** County Name

**ANSI.CI** FIPS class code

## Source

[https://www2.census.gov/geo/docs/reference/codes/files/national\\_county.txt](https://www2.census.gov/geo/docs/reference/codes/files/national_county.txt)

---

corn	<i>CDL corn classes</i>
------	-------------------------

---

**Description**

An array of CDL enumerations that contain corn. The corn enumeration contains:

- 1 - Corn
- 225 - Double Crop, Winter Wheat and Corn
- 226 - Double Crop, Oats and Corn
- 237 - Double Crop, Barley and Corn
- 241 - Double Crop, Corn and Soybeans
- 251 - Non-Irrigated Corn

**Usage**

corn

**Format**

An object of class `numeric` of length 6.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

cotton	<i>CDL cotton classes</i>
--------	---------------------------

---

**Description**

An array of CDL enumerations that contain cotton. The cotton enumeration contains:

- 2 - Cotton
- 232 - Double Crop, Lettuce and Cotton
- 238 - Double Crop, Winter Wheat and Cotton
- 239 - Double Crop, Soybeans and Cotton

**Usage**

cotton

**Format**

An object of class `numeric` of length 4.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

createComparableCDL    *Create comparable raster images*

---

**Description**

createComparableCDL uses a base index within a raster list, and sets all other raster images within the list to the same resolution, projection, and extent. The raster function resample is used to transform raster images, therefore this function may be quite slow without tuning.

**Usage**

```
createComparableCDL(
  rasterList,
  filenames,
  baseIndex = 1,
  progress = "",
  threads = FALSE
)
```

**Arguments**

rasterList	A list of raster images.
filenames	An array of file names of raster images to coerce into a raster list, if rasterList is not provided.
baseIndex	The index of the raster list element that all other elements will match with respect to resolution, projection and extent (default = 1).
progress	A string for the raster progress bar type, default "" is none, "text" provides text output, "window" provides a gui window if available. Not available for terra.
threads	(terra only) passes the thread parameter to Terra (default = FALSE).

**Value**

A list of raster images matching in extent, resolution, and projection.

**Author(s)**

Jonathan Liscic, <jliscic@gmail.com>

**Examples**

```
## Not run:
# download multiple years of Iowa Data

# for raster
r <- getCDL('iowa',c(2006,2010))
# resample based on the 2006
r2 <- createComparableCDL(r,baseIndex=1)

# for terra (note it will just reload what was already downloaded)
r_terra <- getCDL('iowa',c(2006,2010), returnType = 'terra')
# resample based on the 2006
r_terra2 <- createComparableCDL(r_terra,baseIndex=1)

## End(Not run)
```

---

cultivated

*CDL cultivated classes*

---

**Description**

An array of CDL enumerations of cultivated land cover. Not all cultivated enumerations have labels as of this time, and are reserved for future land cover classes. The cultivated enumeration contains:

- 1 - Corn
- 2 - Cotton
- 3 - Rice
- 4 - Sorghum
- 5 - Soybeans
- 6 - Sunflower
- 7 - 7
- 8 - 8
- 9 - 9
- 10 - Peanuts
- 11 - Tobacco
- 12 - Sweet Corn
- 13 - Pop or Ornamental Corn
- 14 - Mint
- 15 - 15
- 16 - 16
- 17 - 17
- 18 - 18

- 19 - 19
- 20 - 20
- 21 - Barley
- 22 - Durum Wheat
- 23 - Spring Wheat
- 24 - Winter Wheat
- 25 - Other Small Grains
- 26 - Double Crop Winter Wheat and Soybeans
- 27 - Rye
- 28 - Oats
- 29 - Millet
- 30 - Speltz
- 31 - Canola
- 32 - Flaxseed
- 33 - Safflower
- 34 - Rape Seed
- 35 - Mustard
- 36 - Alfalfa
- 38 - Camelina
- 39 - Buckwheat
- 40 - 40
- 41 - Sugarbeets
- 42 - Dry Beans
- 43 - Potatoes
- 44 - Other Crops
- 45 - Sugarcane
- 46 - Sweet Potatoes
- 47 - Misc Veggies and Fruits
- 48 - Watermelons
- 49 - Onions
- 50 - Cucumbers
- 51 - Chick Peas
- 52 - Lentils
- 53 - Peas
- 54 - Tomatoes
- 55 - Caneberries
- 56 - Hops

- 57 - Herbs
- 58 - Clover or Wildflowers
- 61 - Fallow or Idle Cropland
- 66 - Cherries
- 67 - Peaches
- 68 - Apples
- 69 - Grapes
- 71 - Other Tree Crops
- 72 - Citrus
- 73 - 73
- 74 - Pecans
- 75 - Almonds
- 76 - Walnuts
- 77 - Pears
- 78 - 78
- 79 - 79
- 80 - 80
- 96 - 96
- 196 - 196
- 197 - 197
- 198 - 198
- 199 - 199
- 200 - 200
- 201 - 201
- 202 - 202
- 203 - 203
- 204 - Pistachios
- 205 - Triticale
- 206 - Carrots
- 207 - Asparagus
- 208 - Garlic
- 209 - Cantaloupes
- 210 - Prunes
- 211 - Olives
- 212 - Oranges
- 213 - Honeydew Melons
- 214 - Broccoli

- 215 - 215
- 216 - Peppers
- 217 - Pomegranates
- 218 - Nectarines
- 219 - Greens
- 220 - Plums
- 221 - Strawberries
- 222 - Squash
- 223 - Apricots
- 224 - Vetch
- 225 - Double Crop Winter Wheat and Corn
- 226 - Double Crop Oats and Corn
- 227 - Lettuce
- 228 - 228
- 229 - Pumpkins
- 230 - Double Crop Lettuce and Durum Wheat
- 231 - Double Crop Lettuce and Cantaloupe
- 232 - Double Crop Lettuce and Cotton
- 233 - Double Crop Lettuce and Barley
- 234 - Double Crop Durum Wheat and Sorghum
- 235 - Double Crop Barley and Sorghum
- 236 - Double Crop Winter Wheat and Sorghum
- 237 - Double Crop Barley and Corn
- 238 - Double Crop Winter Wheat and Cotton
- 239 - Double Crop Soybeans and Cotton
- 240 - Double Crop Soybeans and Oats
- 241 - Double Crop Corn and Soybeans
- 242 - Blueberries
- 243 - Cabbage
- 244 - Cauliflower
- 245 - Celery
- 246 - Radishes
- 247 - Turnips
- 248 - Eggplants
- 249 - Gourds
- 250 - Cranberries
- 251 - Non-Irrigated Corn
- 252 - Non-Irrigated Soybeans
- 253 - Non-Irrigated Winter Wheat
- 254 - Double Crop Barley and Soybeans
- 255 - Non-Irrigated Double Crop Winter Wheat and Soybeans

**Usage**

cultivated

**Format**

An object of class numeric of length 133.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

durumWheat

*CDL durum wheat classes*

---

**Description**

An array of CDL enumerations that contain durum wheat. The durum wheat enumeration contains:

- 22 - Durum Wheat
- 230 - Double Crop Lettuce and Durum Wheat
- 234 - Double Crop Durum Wheat and Sorghum

**Usage**

durumWheat

**Format**

An object of class numeric of length 3.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

fips *FIPS code conversion function.*

---

### Description

fips converts U.S. state and county names and abbreviations to and from FIPS codes.

### Usage

```
fips(x, to = "FIPS")
```

### Arguments

x	A vector, data frame or matrix of character strings or numeric FIPS codes. Character input can be the two-letter postal abbreviation, the full name of a state, or a FIPS code in character format. The string is case insensitive. FIPS codes are the only numeric input supported.
to	A character string of output type: "FIPS" will return a numeric fips code. "Abbreviation" will return a two letter state abbreviation. "Name" will return the full state name with spaces. The default output is a numeric FIPS code.

### Details

The Federal Information Processing Standard (FIPS) provides a set of standard numeric codes for referring to U.S. states. This function converts between FIPS codes, state two letter abbreviations, and full state names.

County abbreviations are supported for FIPS to name conversion only.

### Value

The output type specified by the "to" argument. If no match can be made, the program returns NA.

### Author(s)

Jonathan Lisic, <jlisic@gmail.com>

### Examples

```
fips("ia")
fips('northcarolina', to='Abbreviation')
fips('North Carolina')
fips(44, to='Name')
fips("01001", to='Name')
```

---

getCDL *Get CDL raster data*

---

### Description

getCDL retrieves CDL state raster objects for a set of years.

### Usage

```
getCDL(  
  x,  
  year,  
  alternativeUrl,  
  location = tempdir(),  
  https = TRUE,  
  ssl.verifypeer = TRUE,  
  returnType = "raster"  
)
```

### Arguments

x	Is either a two digit state FIPS code, a two letter abbreviation, or a state name.
year	A numerical vector. A set of years of CDL data to download.
alternativeUrl	An optional string containing an alternative url.
location	An optional string containing a folder to store the file. If no folder is given, the R temporary directory will be used.
https	Legacy https flag, all traffic uses https, if you need http provide alternative url.
ssl.verifypeer	An optional boolean to turn on and off ssl verification, default is on.
returnType	An optional parameter to select to return either 'raster' or 'terra' based raster files.

### Value

A list of CDL raster objects of interested county for a set of years. Note that this is a generic list allowing for rasters with different extents and resolutions.

### Author(s)

Jonathan Lisic, <jlisic@gmail.com>

Jemma Stachelek, <stachel2@msu.edu>

**Examples**

```
## Not run:
# Get data for California, 2013 and 2015
# by FIPS
getCDL(6,c(2013,2015))
# Get data for California, 2013 and 2015 with Terra
getCDL("California",c(2013,2015), returnType='terra')
# Get all the west coast from 2009 to 2016
getCDL(c("CA","OR","WA"),2013:2016)

## End(Not run)
```

---

getCDL\_bbox

*Get CDL raster data for a bounding box*


---

**Description**

getCDL\_bbox retrieves a CDL raster object within a bounding box for a set of years.

**Usage**

```
getCDL_bbox(
  year,
  bbox,
  fileName,
  res,
  crs = "EPSG:5070",
  https = TRUE,
  alternativeUrl,
  ssl.verifypeer = TRUE,
  returnType = "raster"
)
```

**Arguments**

year	A numerical vector. A set of years of CDL data to download.
bbox	An array defining a bounding box of length four. Defining the two points that form the box by latitude then longitude, in that order. The furthest north west pair is entered first.
fileName	An optional string indicating where the file should be saved to, default is an R tempfile.
res	An optional array of length two defining the pixel resolution in meters, default is 30m.
crs	An optional string containing the coordinate reference system, default is EPSG:5070 (Albers is EPSG:5070).
https	Legacy https, all traffic uses https, if you need http provide alternative url.

alternativeUrl An optional string containing an alternative url.  
 ssl.verifypeer An optional boolean to turn on and off ssl verification, default is on.  
 returnType An optional parameter to select to return either 'raster' or 'terra' based raster files.

**Value**

A raster object containing the contents of a bounding box.

**Author(s)**

Jonathan Lisic, <jlisic@gmail.com>  
 Jemma Stachelek, <stachel2@msu.edu>

**Examples**

```
## Not run:
# Get data for California in 2020
bbox <- c(130783,2203171,153923,2217961)
resx <- 30
resy <- 30
year <- 2020
crs <- 'epsg:102004'
getCDL_bbox(year,bbox,res=c(resx,resy),crs=crs)

## End(Not run)
```

---

matchCount	<i>Counts distinct pixel pairs in CDL raster images</i>
------------	---

---

**Description**

matchCount counts distinct pixel pairs for CDL raster images with same extents and resolution.

**Usage**

```
matchCount(x, y, m = 256)
```

**Arguments**

x A CDL raster image.  
 y A CDL raster image.  
 m A bound for the max enumeration of CDL categories. The default is 256.

**Value**

A matrix with pixel counts by unique ordered CDL crop pairs in x and y.

**Author(s)**

Jonathan Lisic, <jlisis@gmail.com>

**Examples**

```
## Not run:
z1 <- matrix( rep(c(1,4),8), nrow=4)
z2 <- matrix( rep(c(1:4),4), nrow=4)

r1 <- raster(z1)
r2 <- raster(z2)

a <- matchCount(r1,r2)

## End(Not run)
```

---

metadata

*CDL metadata.*

---

**Description**

metadata downloads classification and crop class metadata from the cropscape website.

**Usage**

```
metadata(state, year, https = TRUE, ssl.verifypeer = TRUE)
```

**Arguments**

state	A numeric fips code, a state's two letter abbreviation, or a state name.
year	A numeric year.
https	Legacy https, all traffic uses https, if you need http provide alternative url.
ssl.verifypeer	An optional boolean to turn on and off ssl verification, default is on.

**Details**

Cropscape provides classification and crop class metadata on the Cropland Data Layer. This function fetches this data through scraping cropscape html.

**Value**

The metadata for the state identified by the state argument. If no match can be made, the program returns NA. The metadata is returned as a list with two elements, overall and class specific metrics, each in dataframes.

**Author(s)**

Jonathan Lisic, <jlisis@gmail.com>

**Examples**

```
## Not run:
metadata("ia", 2007)
metadata('North Carolina',2008)
metadata(44,2017)

## End(Not run)
```

---

nothing	<i>CDL nothing class</i>
---------	--------------------------

---

**Description**

An array of CDL enumerations that contain the nothing class. The nothing enumeration contains:

- 0 - Background

**Usage**

```
nothing
```

**Format**

An object of class `numeric` of length 1.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

pasture	<i>CDL pasture classes</i>
---------	----------------------------

---

**Description**

An array of CDL enumerations that contain pasture. The pasture enumeration contains:

- 37 - Other Hay/Non Alfalfa
- 38 - Camelina
- 39 - Buckwheat
- 62 - Pasture/Grass
- 171 - Grassland Herbaceous

**Usage**

```
pasture
```

**Format**

An object of class `numeric` of length 5.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

projCDL

*The default projection of CDL data*

---

**Description**

The proj4 string used for all CDL data. "+proj=aea +lat\_1=29.5 +lat\_2=45.5 +lat\_0=23 +lon\_0=-96 +x\_0=0 +y\_0=0 +datum=NAD83 +units=m +no\_defs +ellps=GRS80 +towgs84=0,0,0"

**Usage**

projCDL

**Format**

An object of class `character` of length 1.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

soybeans

*CDL soybeans classes*

---

**Description**

An array of CDL enumerations that contain soybeans. The soybeans enumeration contains:

- 5 - Soybeans
- 26 - Double Crop Winter Wheat and Soybeans
- 239 - Double Crop Soybeans and Cotton
- 240 - Double Crop Soybeans and Oats
- 241 - Double Crop Corn and Soybeans
- 252 - Non-Irrigated Soybeans
- 254 - Double Crop Barley and Soybeans
- 254 - Double Crop Barley and Soybeans
- 255 - Non-Irrigated Double Crop Winter Wheat and Soybeans

**Usage**

soybeans

**Format**

An object of class `numeric` of length 9.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

springWheat	<i>CDL spring wheat classes</i>
-------------	---------------------------------

---

**Description**

An array of CDL enumerations that contain spring wheat. The spring wheat enumeration contains:

- 23 - Spring Wheat

**Usage**

springWheat

**Format**

An object of class `numeric` of length 1.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

stateNames	<i>U.S. Census 2010 State FIPS Data</i>
------------	---

---

**Description**

U.S. Census 2010 State FIPS Data containing names, FIPS codes, and abbreviations.

**Usage**

stateNames

**Format**

An object of class `data.frame` with 55 rows and 3 columns.

**Details**

**STATE** State two letter abbreviation

**STATENAME** State name

**STATEFP** State FIPS code

**Source**

[https://www2.census.gov/geo/docs/reference/codes/files/national\\_county.txt](https://www2.census.gov/geo/docs/reference/codes/files/national_county.txt)

---

updateNamesCDL	<i>Label CDL classes.</i>
----------------	---------------------------

---

**Description**

updateNamesCDL converts numeric CDL categories to class labels.

**Usage**

updateNamesCDL(y)

**Arguments**

y                    A numeric array of integers associated with CDL categories.

**Value**

An array of strings labeling each CDL class. If the CDL class is unspecified then the original integer is returned.

**Author(s)**

Jonathan Lisic, <jlisic@gmail.com>

**Examples**

updateNamesCDL(0:255)

---

varNamesCDL	<i>Enumerated CDL classes</i>
-------------	-------------------------------

---

**Description**

A list of enumerated CDL classes and class descriptions.

**Usage**

varNamesCDL

**Format**

An object of class character of length 282.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

water	<i>CDL water classes</i>
-------	--------------------------

---

**Description**

An array of CDL enumerations that contain water. The water enumeration contains:

- 83 - Water
- 111 - Open Water

**Usage**

water

**Format**

An object of class numeric of length 2.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

---

winterWheat

*CDL winter wheat classes*

---

**Description**

An array of CDL enumerations that contain winter wheat. The winter wheat enumeration contains:

- 24 - Winter Wheat
- 26 - Double Crop Winter Wheat and Soybeans
- 225 - Double Crop Winter Wheat and Corn
- 236 - Double Crop Winter Wheat and Sorghum
- 238 - Double Crop Winter Wheat and Cotton
- 253 - Non-Irrigated Winter Wheat
- 255 - Non-Irrigated Double Crop Winter Wheat and Soybeans

**Usage**

winterWheat

**Format**

An object of class `numeric` of length 7.

**Source**

[https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/metadata/meta.php](https://www.nass.usda.gov/Research_and_Science/Cropland/metadata/meta.php)

# Index

## \* datasets

- census2010FIPS, 2
- corn, 3
- cotton, 3
- cultivated, 5
- durumWheat, 9
- nothing, 15
- pasture, 15
- projCDL, 16
- soybeans, 16
- springWheat, 17
- stateNames, 17
- varNamesCDL, 19
- water, 19
- winterWheat, 20

- census2010FIPS, 2
- corn, 3
- cotton, 3
- createComparableCDL, 4
- cultivated, 5

- durumWheat, 9

- fips, 10

- getCDL, 11
- getCDL\_bbox, 12

- matchCount, 13
- metadata, 14

- nothing, 15

- pasture, 15
- projCDL, 16

- soybeans, 16
- springWheat, 17
- stateNames, 17

- updateNamesCDL, 18

- varNamesCDL, 19

- water, 19
- winterWheat, 20